

Ford Ranger T6/T7 Canopy Fitment Instructions



1. <u>Canopy Fitment – Tools, Fasteners & Materials</u>

The tables below show the equipment, i.e. tools and fasteners required to start the canopy fitment for a Ford Ranger.

1.1. Tools Required:

TOOL			
•	Ratchet		
•	T-40 Spline Socket		
•	13mm Socket		
٠	13mm Ring Flat Spanner		

1.2. <u>Fasteners required</u>: (Included with canopy)

ITEM	<u>QUANTITY</u>
M8x30mm Hex Bolts	8 off
M8x20mm Hex Bolts	12 off
M8x25mm Hex Bolts	4 off
M8x40mm Hex Bolts	2 off
M8 Flat Washer	20 off
M8 Split Washer	12 off
M8 Nylock Nuts	18 off
M8 Plastic Nut Caps	18 off

1.3. Hardware Required:

ITEM	PURPOSE
Left Front Support Brackets	1 off
Right Front Support Bracket	1 off
Left Rear Support Bracket	1 off
Right Rear Support Bracket	1 off
Universal Bracket	4 off
Centre Mounting Bracket	2 off

1.4. Consumables Required:

ľ	TI	EI	Ν
_			

- Turpentine
- Cloth
- Black sealant, silicone or Sikaflex
- Window Cleaner

2. Front and Rear Canopy Support Brackets.

In Figure 1 and Figure 2 below are the canopy support brackets for the Ford T6/T7 Ranger.




Figure 1: Front Support Canopy Brackets

Figure 2: Rear Support Canopy Brackets

2.1. Mounting the Support Brackets to the Load Bin

a) Step 1 – Removing the Standard Hooks

Remove the standard hooks using a T40 spline socket and ratchet.

Standard Hook Points



Figure 3: Standard Hook Points

Figure 4: Standard Hook

b) Step 2 – Bolting the Front and Rear Mounting Brackets to the Load Bin

Figures 5 to Figure 10 shows where and how the support brackets are fixed to the load bin. The top of the brackets must be flush with the load bin.




Figure 5: Top View of Load Bin

Figure 6: Side View of Load Bin




Figure 7: Rear Canopy Support Bracket Position




Figure 8: Front Canopy Support Bracket Position



Figure 9: Rear Bracket Mounting Assembly




Figure 10: Front Bracket Mounting Assembly

3. Centre Mounting Brackets

In Figure 14 below is the assembly of the centre mounting bracket which consists of the canopy mounting bracket and the load bin mounting bracket.




Figure 11: Canopy Mounting Bracket




Figure 12: Load Bin Mounting Bracket




Figure 13: Centre Bracket Mounting Assembly




Figure 14: Centre Mounting Bracket Assembly

3.1. Mounting the Centre Mounting Bracket

In Figure 15 below shows how the centre mounting bracket clamps onto the load bin.




Figure 15: Section View of Clamping Method

4. Canopy Installation

Before placing the canopy onto the load bin, check that the D-Rubber is intact on the canopy. If this is not done, the canopy and/or load bin could be damaged or can cause leaks into the canopy.

To position the canopy, ensure that it is flush with the load bin.




Figure 16: Canopy and Load Bin Alignment

4.1. Canopy Fitment to Load bin

Open all the doors of the canopy and place onto the load bin.

a) Step 1 - Bolting the Universal Bracket to the Support Bracket.

In Figure 17 and Figure 18 below shows how the universal bracket is mounted to the front and rear support brackets.




Figure 17: Universal-Front Bracket Mounting Assembly

Figure 18: Universal-Rear Bracket Mounting Assembly

b) Step 2 - Bolting the Universal Bracket to the Canopy

When the Universal bracket is bolted to the mounting brackets, it should then be mounted to the canopy. In Figure 19 and Figure 20 shows the fastener assembly.




Figure 19: Rear Universal to Canopy Mounting assembly




Figure 21: Tightening Universal bracket to Canopy




Figure 22: Overall Fitting Assembly

The canopy must rest solely on the mounting brackets and no load is allowed on the load bin. Once this is completed, the canopy has been installed successfully.