
# 610mm Pioneer Accessory Bar

61021

#### Important:

- 1. Check the Rhino-Rack website to ensure you have the latest issue of these instructions.
- 2. Please refer to your fitting instruction to ensure that the roof racks are installed in the correct locations.
- 3. Check the contents of kit before commencing fitment and report any discrepancies.
- 4. Place these instructions in the vehicle's glove box after installation is complete.
- 5. These instructions must be followed for warranty to be upheld.

Fit Time: 5 mins




#### In Service Maintenance Checks

- All bolt connections should be checked after driving a short distance when you first install your roof racks.
- All bolted connections should be checked again at regular intervals (weekly is recommended, depending on road conditions, usage, loads and distances travelled).
- All bolted connections should be checked each time they are re-fitted.
- Off-road conditions are more rigorous. Check all bolted connections and your load more regularly.
- Ensure that your vehicle manufacturer's GVM, and gross axle weights are not exceeded (refer to vehicle owner's manual).

#### **Torque Settings:**

Unless stated otherwise in these instructions, all fasteners should be set to the following torque settings:







#### Note for Dealers and Fitters

It is your responsibility to ensure these fitting instructions are given to the end user or client. These instructions remain the property of Rhino-Rack Australia Pty. Ltd. and may not be used or changed for any other purpose than intended.


### Warranty


We love creating our products for you and hope you love using them too. For complete peace of mind, register your product at <a href="www.rhinorack.com/warranty">www.rhinorack.com/warranty</a>. This way, we can quickly help you with any future approved fitment warranty claims.


And remember – never to forget to **Make Space For Adventure!** 


#### **Parts List**



















#### **TOOLS REQUIRED**

T1 - Mallet







Proceed to Step 3a



PLATFORMS	SIDE EXTRUSION SLOT	PLANK SLOT	PLANK SLOT
52112 / <b>62112</b>	2	4	7
52109 / <b>62109</b>	2	5	8
52110 / <b>62110</b>	2	3	6
52111 / <b>62111</b>	2	•	•
52100 / <b>62100</b>	2	5	8
52101 / <b>62101</b>	2	3	6
52113 / <b>62113</b>	2	•	•
52108 / <b>62108</b>	2	•	0
52102 / <b>62102</b>	2	5	8
52103 / <b>62103</b>	2	3	6
52107 / <b>62107</b>	2	5	8
52104 / <b>62104</b>	2	•	<b>7</b>
52105 / <b>62105</b>	2	5	8
52119 / <b>62106</b>	2	6	10

Proceed to Step







## RHINORACK.COM

Rhino-Rack AUSTRALIA

22A Hanson Pl, Eastern Creek, NSW, 2766

Rhino-Rack USA

19822 East 22nd Ave, Aurora, CO, 80011